



Saddle Stools

**Polyurethane Stools** 

**Cloth & Vinyl Stools** 







# Polyurethane Seating

## Task Series

- Self-skinned, solid molded polyurethane resists stain and damage; available in black polyurethane only
- Large contoured waterfall seat: 18" wide x 17" deep x 1.5" thick
- Adjustable contoured backrest: 17" wide x 12" deep x 1" thick
- 20" adjustable footring standard on higher stool models; ( 2 & 3)
- Pneumatic seat height adjustment; Tilting seat model available (PT model)
- Optional ergonomic armrests (-EAA) on seat tilt models; cannot be purchased separately; must be ordered with initial stool purchase
- Glides standard; Casters available (add -C to end of part number)
- Black ABS plastic five star base
- Meets flame retardant standards of FMVSS 302
- 12-year warranty; 250 lb capacity



Seat Height Base Dia. Seat Tilt Wt. (lb) Optional Accessories:

				0	
•	28	No	25″	16.5″-21.5″	PS-1
	33	No	27″	19.5″-27″	PS-2
	34	No	27″	22.5"-32.5"	PS-3
•	32	Yes	25″	17"-22.5"	PT-1
]	37	Yes	27″	20.5"-28"	PT-2
	38	Yes	27″	23.5"-33.5"	PT-3

Dual wheel casters (-C); set of 5 If ordered for an existing stool: (CS/5)

Adjustable Armrests ( - EAA) Available on tilt models only; Must be ordered at time of initial stool purchase

### SitStand Series

- Designed to promote a balanced posture and provides support to the areas that experience the most discomfort as a result of excessive standing
- Comfortable and durable 13" soft black polyurethane seat
- Contoured tilting seat improves leg circulation
- Pneumatic seat height adjustment, three heights available
- 27" diameter, stable five star base, available in black ABS or polished cast aluminum
- Heavy-duty stationary glides, standard
- 12-year warranty; 250 lb capacity

	Seat Height	Base Dia.	Wt. (lb.)
PSIT-1	15"-20"	27″	22
PSIT-2	18.5″-26″	27″	22
PSIT-3	21.5-31.5″	27″	23
PSITM-1	13.5"-18.5"	27″	24
PSITM-2	17"-24.5"	27″	24
PSITM-3	20″-30″	27″	25



## **Round Series**

- Self-skinned, solid molded polyurethane resists stain and damage
- Comfortable and durable 14" diameter polyurethane seat
- Black standard; other colors an extra charge, while supplies last
- Pneumatic seat height adjustment, three heights available
- Available with black ABS or polished cast aluminum five star base
- Glides standard; Casters available (add -C to end of part number)
- Meets flame retardant standards of FMVSS 302
- 12-year warranty; 250 lb capacity



Base Dia.

25"

27″

27″

25″

25″

25″

Wt. (lb.)

18

23

28

17

27

27



Optional Accessories:

 Dual wheel casters ( - C); set of 5

If ordered for an existing stool with a plastic base: (CS/5)

If ordered for an existing stool with a metal base: (CM/5)

#### **Polyurethane Colors**

Seat Height

16.5"-21.5"

19.5"-27"

22.5"-32.5"

15"-20"

18"-25.5"

22"-32"

PR-1


PR-2

PR-3

PRM-1

PRM-2

PRM-3



### Saddle Series

- Promotes better posture, relieving tension in shoulders and neck
- Unique channel seat design provides cooling comfort, resulting in improved reproductive health in both men and women
- Balances the pelvis in an upright position distributing the weight over the "sit bones" and not the soft tissues
- Comfortable and durable soft polyurethane seat, black only
  - Pneumatic seat height adjustment, three heights available
- 21.5" diameter black ABS plastic base, casters standard
- 5-year warranty; 250 lb capacity




	Seat Height	Base Dia.	Wt. (lb.)	User Heigh
PS135-1	18.5″ - 23.5″	21.5″	22	Under 5'3'
PS135-2	21.75″ - 29″	21.5″	22	5′3″ - 5′11
PS135-3	25" - 34"	21.5″	23	Over 5'11'

# Cloth & Vinyl Seating

### Task Series

- Available in cloth or NaugaSoft™ vinyl material
- Contoured waterfall seat: 19" wide x 17.5" deep x 3.75" thick
- Fully adjustable, contoured backrest: 16" w x 10" d x 2" thick
- Optional larger back (-LEB), tilt models only:15"w x13"d x3" thick
- 20" adjustable footring standard on higher models; ( 2 & 3 )
- Easy-to-use pneumatic height adjustment; Tilt-seat models (CT & VT)
- Glides standard; Casters available (add -C to end of part #)
- Optional ergonomic armrests (-EAA) on seat tilt models; cannot be
- purchased separately; must be ordered with initial stool purchase
  12-year warranty; 250 lb capacity





Saddle Series

- Better posture, breathing, tension relief, improved mobility & reach
- Unique 360 degree tilt makes movement easier and more natural while stregthening core muscles
- Patented split-saddle-seat design offers superior cooling comfort, resulting in improved reproductive health in both men and women
- Balances the pelvis in an upright position distributing the weight over the "sit bones" and not the soft tissues
- Comfortable and durable tilting, vinyl upholstered split-seat
- Pneumatic seat height adjustment, three heights available
- 23" diameter cast aluminum base
- Large dual-wheel casters standard
- 5-year warranty; 250 lb capacity

	Seat Height	Base Dia.	Wt. (lb.)	user height
135DSS	22.5" - 29.75"	23″	28.5	5′3″ - 5′11″
135DSS-L	18.75″ - 23.75″	23″	28	Under 5'3″
135DSS-H	24" - 33.75"	23″	29	Over 5'11"

### **Round Series**

- Available in NaugaSoft™ vinyl material only
- Durable poly-foam seat: 16" diameter x 4" thick
- Optional contoured backrest: 16" wide x 10" deep
- 18" adjustable footring on higher models; (-2 & -3)
- Pneumatic seat height adjustment
- Glides standard; Casters available
- Available with black ABS five star base or polished cast aluminum five star base
- 12-year warranty; 250 lb capacity

	Wt.	Seat Height	Base	Backrest
VR-1	18	16.5"-21.5"	25″	No
VR-2	23	19.5″-27″	27″	No
VR-3	28	22.5"-32.5"	27″	No
VRB-1	23	16.5"-21.5"	25″	Yes
VRB-2	28	19.5″-27″	27″	Yes
VRB-3	32	22.5"-32.5	27″	Yes
VRM-1	17	17"-22.5"	25″	No
VRM-2	22	18"-25.5"	25″	No
VRM-3	27	24"-34.5"	25″	No
VRBM-1	22	17"-22.5"	25″	Yes
VRBM-2	27	18"-25.5"	25″	Yes
VRBM-3	31	24"-34.5"	25″	Yes



VRBM-3-C



Optional Accessories:

• Dual wheel casters ( - C); set of 5

If ordered for an existing stool with a plastic base: (CS/5) If ordered for an existing stool with a metal base: (CM/5)

### Additional Colors



#### **Ordering** Tips



Brewer Industrial Seating stools are highly customizable! Please follow the above format when placing an order. If you have any questions, please contact the Brewer customer service department at 1-800-558-8934.





SUPADW OF ISMOC



Quality, Safety, Comfortable, Durable, Ergonomic

With over 60 years of manufacturing experience, Brewer has become one of the most trusted names in commercial seating. Industrial settings require seating that is comfortable, durable, and safe, all at an unbeatable price. Drawing on our extensive ergonomic research with Marquette University's Departments of Engineering, we have developed a complete line of industrial-strength seating that meets your needs for performance, safety, comfort, and durability.

In addition, Brewer seating solutions are proudly made in the USA. Our extensive line of solutions is manufactured to our rigorous quality standards and backed by best-in-class standard warranties. It's all part of our commitment to provide you with The Power to Advance.

For more information about the many ways we deliver The Power to Advance, contact your Brewer representative or local equipment dealer today.



The Brewer Company, LLC N88W13901 Main Street, Suite 100 Menomonee Falls, WI 53051 P 1.800.558.8934 F 1.262.251.4391

www.brewercompany.com

