





Polyurethane Seating

Task Series

- Self-skinned, solid molded polyurethane resists stain and damage; available in black polyurethane only
- Large contoured waterfall seat: 18" wide x 17" deep x 1.5" thick
- Adjustable contoured backrest: 17" wide x 12" deep x 1" thick
- 20" adjustable footring standard on higher stool models; (2 & 3)
- Pneumatic seat height adjustment; Tilting seat model available (PT model)
- Optional ergonomic armrests (-EAA) on seat tilt models; cannot be purchased separately; must be ordered with initial stool purchase
- Glides standard; Casters available (add -C to end of part number)
- Black ABS plastic five star base
- 12-year warranty; 250 lb capacity



| | Seat Height | Base Dia. | Seat Tilt | Wt. (lb) | Ор |
|------|-------------|-----------|-----------|----------|-----|
| PS-1 | 16.5"-21.5" | 25″ | No | 28 | • |
| PS-2 | 19.5″-27″ | 27″ | No | 33 | |
| PS-3 | 22.5"-32.5" | 27″ | No | 34 | |
| PT-1 | 17"-22.5" | 25″ | Yes | 32 | • |
| PT-2 | 20.5"-28" | 27″ | Yes | 37 | |
| PT-3 | 23.5"-33.5" | 27″ | Yes | 38 | 1 (|

 Wt. (lb)
 Optional Accessories:

 28
 • Dual wheel casters

 33
 (- C); set of 5

 34
 If ordered for an existing stool: (CS/5)

Adjustable Armrests (- EAA) Available on tilt models only; Must be ordered at time of initial stool purchase

SitStand Series

- Designed to promote a balanced posture and provides support to the areas that experience the most discomfort as a result of excessive standing
- Comfortable and durable 13" soft black polyurethane seat
- Contoured tilting seat improves leg circulation
- Pneumatic seat height adjustment, three heights available
- 27" diameter, stable five star base, available in black ABS or polished cast aluminum
- Heavy-duty stationary glides, standard
- 12-year warranty; 250 lb capacity

| | Seat Height | Base Dia. | Wt. (lb.) |
|---------|-------------|-----------|-----------|
| PSIT-1 | 15"-20" | 27″ | 22 |
| PSIT-2 | 18.5″-26″ | 27″ | 22 |
| PSIT-3 | 21.5-31.5″ | 27″ | 23 |
| PSITM-1 | 13.5"-18.5" | 27″ | 24 |
| PSITM-2 | 17"-24.5" | 27″ | 24 |
| PSITM-3 | 20″-30″ | 27″ | 25 |

Round Series

- Self-skinned, solid molded polyurethane resists stain and damage
- Comfortable and durable 14" diameter polyurethane seat
- Black standard; other colors an extra charge, while supplies last
- Pneumatic seat height adjustment, three heights available

Base Dia.

25"

27″

27″

25″

25″

25″

Wt. (lb.)

18

23

28

17

27

27

- Available with black ABS or polished cast aluminum five star base
- Glides standard; Casters available (add -C to end of part number)
- 12-year warranty; 250 lb capacity





Optional Accessories:

 Dual wheel casters (- C); set of 5

If ordered for an existing stool with a plastic base: (CS/5)

If ordered for an existing stool with a metal base: (CM/5)

Polyurethane Colors

Seat Height

16.5"-21.5"

19.5"-27"

22.5"-32.5"

15"-20"

18"-25.5"

22"-32"

PR-1


PR-2

PR-3

PRM-1

PRM-2

PRM-3



Saddle Series

- Better posture, breathing, tension relief, improved mobility & reach
- Unique 360 degree tilt makes movement easier and more natural while strengthening core muscles
- Patented split-saddle-seat design offers superior cooling comfort, helping to protect reproductive health in both men and women
- Balances the pelvis in an upright position distributing the weight over the "sits bones" and not the soft tissues
- Comfortable and durable tilting, vinyl upholstered split-seat
- Pneumatic seat height adjustment, three heights available
- 23" diameter cast aluminum base
- Large dual-wheel casters standard
- 5-year warranty; 250 lb capacity

135DSS

| | Seat Height | Base Dia. | Wt. (lb.) | user height |
|----------|-----------------|-----------|-----------|--------------|
| 135DSS | 22.5" - 29.75" | 23″ | 28.5 | 5′3″ - 5′11″ |
| 135DSS-L | 18.75″ - 23.75″ | 23″ | 28 | Under 5′3″ |
| 135DSS-H | 24" - 33.75" | 23″ | 29 | Over 5'11″ |



Cloth & Vinyl Seating

Task Series

- Available in cloth or NaugaSoft™ vinyl material
- Contoured waterfall seat: 19" wide x 17.5" deep x 3.75" thick
- Fully adjustable, contoured backrest: 16" w x 10" d x 2" thick
- Optional larger back (-LEB), tilt models only:15"w x13"d x3" thick
- 20" adjustable footring standard on higher models; (-2 & -3)
- Easy-to-use pneumatic height adjustment; Tilt-seat models (CT & VT)
- Glides standard; Casters available (add -C to end of part #)
- Optional ergonomic armrests (-EAA) on seat tilt models; cannot be purchased separately; must be ordered with initial stool purchase
- 12-year warranty; 250 lb capacity







CT-1-LEB-C

CT-1-EAA-C VS-1

VT-2-C

| | Matr'l | Seat Height | Base | Seat Tilt | Wt.(lb) |
|------|--------|-------------|------|-----------|---------|
| CS-1 | Cloth | 16.5″-21.5″ | 25″ | No | 24 |
| CS-2 | Cloth | 19.5″-27″ | 27″ | No | 29 |
| CS-3 | Cloth | 22.5"-32.5" | 27″ | No | 30 |
| VS-1 | Vinyl | 16.5″-21.5″ | 25″ | No | 24 |
| VS-2 | Vinyl | 19.5″-27″ | 27″ | No | 29 |
| VS-3 | Vinyl | 22.5″-32.5 | 27″ | No | 30 |
| CT-1 | Cloth | 17"-22.5" | 25″ | Yes | 28 |
| CT-2 | Cloth | 20.5″-28″ | 27″ | Yes | 33 |
| CT-3 | Cloth | 23.5″-33.5″ | 27″ | Yes | 34 |
| VT-1 | Vinyl | 17"-22.5" | 25″ | Yes | 28 |
| VT-2 | Vinyl | 20.5″-28″ | 27″ | Yes | 33 |
| VT-3 | Vinyl | 23.5"-33.5" | 27″ | Yes | 34 |

Optional Accessories:

- Dual wheel casters (C); set of 5 If ordered for an existing stool: (CS/5)
- Large Ergo Backrest (LEB) Available on tilt models only
- Adjustable Armrests (EAA) Available on tilt models only Must be ordered at time of stool purchase

Additional Colors



Round Series

- Available in NaugaSoft™ vinyl material only
- Durable poly-foam seat: 16" diameter x 4" thick
- Optional contoured backrest: 16" wide x 10" deep
- 18" adjustable footring on higher models; (-2 & -3)
- Pneumatic seat height adjustment
- Glides standard; Casters available
- Available with black ABS five star base or polished cast aluminum five star base
- 12-year warranty; 250 lb capacity

| | Wt. | Seat Height | Base | Backrest |
|--------|------|-------------|------|----------|
| | VVT. | Sear Height | base | Dackrest |
| VR-1 | 18 | 16.5"-21.5" | 25″ | No |
| VR-2 | 23 | 19.5″-27″ | 27″ | No |
| VR-3 | 28 | 22.5"-32.5" | 27″ | No |
| VRB-1 | 23 | 16.5"-21.5" | 25″ | Yes |
| VRB-2 | 28 | 19.5″-27″ | 27″ | Yes |
| VRB-3 | 32 | 22.5″-32.5 | 27″ | Yes |
| VRM-1 | 17 | 17"-22.5" | 25″ | No |
| VRM-2 | 22 | 18"-25.5" | 25″ | No |
| VRM-3 | 27 | 24"-34.5" | 25″ | No |
| VRBM-1 | 22 | 17"-22.5" | 25″ | Yes |
| VRBM-2 | 27 | 18″-25.5″ | 25″ | Yes |
| VRBM-3 | 31 | 24"-34.5" | 25″ | Yes |



VRBM-3-C



Optional Accessories:

• Dual wheel casters (- C); set of 5

If ordered for an existing stool with a plastic base: (CS/5) If ordered for an existing stool with a metal base: (CM/5)

Ordering Tips



Brewer Industrial Seating stools are highly customizable! Please follow the above format when placing an order. If you have any questions, please contact the Brewer customer service department at 1-800-558-8934.



With over 60 years of manufacturing experience, Brewer has become one of the most trusted names in commercial seating. Industrial settings require seating that is comfortable, durable, and safe, all at an unbeatable price. Drawing on our extensive ergonomic research with Marquette University's Departments of Engineering, we have developed a complete line of industrial-strength seating that meets your needs for performance, safety, comfort, and durability.

In addition, Brewer seating solutions are proudly made in the USA. Our extensive line of solutions is manufactured to our rigorous quality standards and backed by best-in-class standard warranties. It's all part of our commitment to provide you with The Power to Advance.

For more information about the many ways we deliver The Power to Advance, contact your Brewer representative or local equipment dealer today.





